

CHAPTER 26 : SANITARY & WATER SUPPLY WORKS

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.01	<p>Supplying, fitting and fixing of European type <b>country made best quality glazed porcelain combi closet (two piece)</b>, including plastic seat cover with soft closing ,cistern system, water consumption 6 litre, siphon wash down/siphon jet single or dual flushing system which reduce water consumption, hygienic glaze in toilet bowl ,glaze in inner waste line, round bowl, outlet range 280-305 mm. The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position preparing the base with cement concrete and with wire mesh or rods if necessary, in all floors including making holes wherever required and mending good the damages and fitting, fixing, finishing, complete with all necessary fittings and connection approved and accepted by the Engineer- in- charge.</p>					
26.01.1	Approx. 670-690 X 360- 362 mm size, minimum 27.5 kg of weight; Equivalent to Stella:Victoria /Stella: Imola / RAK: Amy / RAK: Karla or similar brand	each	Tk. 8,951.00	Tk. 8,921.00	Tk. 8,843.00	Tk. 8,843.00
26.01.2	Approx. 665- 704 X 360- 390 mm size, minimum 31.00 kg of weight : Equivalent to CHARU :CM18/ CHARU: CM15 / Stella :Marcela / RAK :Tampa / Stella: Marcela or similar brand	each	Tk. 10,454.00	Tk. 10,424.00	Tk. 10,347.00	Tk. 10,347.00
26.01.3	Approx. 639-670 X 370 ~399 mm size, minimum 32.5 kg of weight, Equivalent to RAK :Orient Standard /Stella: Verso or similar brand	each	Tk. 11,436.00	Tk. 11,405.00	Tk. 11,328.00	Tk. 11,328.00
26.01.4	Approx. 670-670 X 350-390 mm size, minimum 25.2 kg of weight, Equivalent to COTTO :C1480 /COTTO: C13960 / RAK Series 600 or similar brand	each	Tk. 13,252.00	Tk. 13,221.00	Tk. 13,144.00	Tk. 13,144.00
26.01.5	Approx. 668-750 x 356 ~430 mm size, minimum 37.0 kg of weight, Equivalent to COTTO :C1390/Stella:Isabella /RAK: Washington / RAK: Jumairah or similar brand	each	Tk. 15,857.00	Tk. 15,826.00	Tk. 15,749.00	Tk. 15,749.00
26.01.6	Approx. 700-725 X 360- 380 mm size, minimum 34.1 kg of weight; Equivalent to COTTO - C1470 / RAK: Venic or similar brand	each	Tk. 17,816.00	Tk. 17,786.00	Tk. 17,709.00	Tk. 17,709.00

Handwritten signatures and initials in blue ink are present at the bottom of the page, including 'AR', 'S', and several other illegible marks.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalgonj)	Unit Rate (Rajshahi, Rangpur)
26.01.7	Approx. 702~ 750x 380~412 mm size, minimum 40.0 kg of weight, Equivalent to COTTO: C118 / RAK: Shino or similar brand	each	Tk. 22,075.00	Tk. 22,045.00	Tk. 21,968.00	Tk. 21,968.00
26.01.8	Approx. 730~ 735x 430~440 mm size, minimum 42.0 kg of weight, Equivalent to COTTO: 109 / COTTO: 129 or similar brand	each	Tk. 24,810.00	Tk. 24,780.00	Tk. 24,703.00	Tk. 24,703.00
26.02	<p>Supplying, fitting and fixing of <b>country made European type special quality combi closet (one piece)</b> including inbuilt flushing unit, of white color, including plastic seat cover with soft closing ,cistern system, water consumption 6 litre, siphon jet single flushing system which reduce water consumption, hygienic glaze in toilet bowl ,glaze in inner waste line, round bowl, outlet range 280~305 mm.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixure should be placed in position preparing the base with cement concrete and with wire mesh or rods if necessary, in all floors including making holes wherever required and mending good the damages and fitting, fixing, finishing, complete with all necessary fittings and connection approved and accepted by the Engineer- in- charge.</p>					
26.02.1	Approx. 695~719 X 340~395 mm size, minimum 39.5 kg of weight; Equivalent to RAK :Metropolitan / Stella: Vivana or similar brand	each	Tk. 17,203.00	Tk. 17,185.00	Tk. 17,126.00	Tk. 17,126.00
26.02.2	Approx. 685~729 X 360~406 mm size, minimum 36.0 kg of weight; Equivalent RAK: Oasis/Stella: Evana/ Stella: Marlina or equivalent model	each	Tk. 21,375.00	Tk. 21,356.00	Tk. 21,298.00	Tk. 21,298.00
26.02.3	Approx. 715~735 X 280~480 mm size, minimum 39.5 kg of weight; Equivalent to COTTO - C1053 / COTTO: 1141 / CHARU: CM 950 / RAK: Galaxy or similar brand	each	Tk. 25,669.00	Tk. 25,651.00	Tk. 25,592.00	Tk. 25,592.00
26.02.4	Approx. 760~735 X 430~490 mm size, minimum 40 kg of weight, Equivalent to Stella: Viola / COTTO: C1026 or similar brand	each	Tk. 31,805.00	Tk. 31,786.00	Tk. 31,727.00	Tk. 31,727.00

Handwritten signatures and initials in blue ink are present below the table. The signatures are written in various styles, including some that appear to be initials or abbreviations. There are approximately 12 distinct marks or signatures scattered across the bottom of the page.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.03	<p>Supplying, fitting and fixing of <b>country made European type glazed combi closet (Wall Hung)</b> with concealed cistern, of any color including plastic seat cover with soft closing, water consumption 6 litre, Wash Down Daul flushing system which reduce water consumption, hygienic glaze in toilet bowl, glaze in inner waste line, round bowl, outlet range 225~230 mm.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position preparing the base with cement concrete and with wire mesh or rods if necessary, in all floors including making holes wherever required and mending good the damages and fitting, fixing, finishing, complete with all necessary fittings and connection approved and accepted by the Engineer Engineer- in- charge.</p>					
26.03.1	Approx. 540 X 360 mm size, minimum 16.00 kg of weight	each	Tk. 22,234.00	Tk. 22,215.00	Tk. 22,157.00	Tk. 22,157.00
26.03.2	Approx. 570 X 375 mm size, minimum 22.00 kg of weight	each	Tk. 29,841.00	Tk. 29,823.00	Tk. 29,764.00	Tk. 29,764.00
26.03.3	Approx. 560 X 360 mm size, minimum 26 kg of weight	each	Tk. 39,167.00	Tk. 39,148.00	Tk. 39,090.00	Tk. 39,090.00

Handwritten signatures and initials in blue ink are scattered below the table, including a large signature on the left and several smaller initials and marks across the bottom and right side.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.04	<p>Supplying, fitting and fixing of European type <b>country made glazed combi closet (Flush Valve)</b> including flush valve, of any color, Approx. 380 mm x 710 mm x 800 mm size, minimum 28.00 kg of weight, excluding flush valve, including plastic seat cover with soft closing, Siphon jet single flushing system which reduce water consumption, hygienic glaze in toilet bowl, glaze in inner waste line, round bowl, outlet range 305 mm.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position preparing the base with cement concrete and with wire mesh or rods if necessary, in all floors including making holes wherever required and mending good the damages and fitting, fixing, finishing, complete with all necessary fittings and connection approved and accepted by the Engineer- in- charge.</p>	each	Tk. 26,412.00	Tk. 26,393.00	Tk. 26,335.00	Tk. 26,335.00

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.05	<p>Supplying, fitting and fixing of <b>country made glazed vitreous standing bowl urinal.</b></p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position after making holes in walls and floors, providing 32 mm dia plastic waste pipe with brass coupling up to grading below, 12 mm dia plastic connection pipe with brass coupling, 12 mm dia brass stop cock including mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer- in- charge.</p>					
26.05.1	Approx. 330 X 355 X 445 mm size, minimum 10.0 kg of weight	each	Tk. 3,482.00	Tk. 3,472.00	Tk. 3,436.00	Tk. 3,436.00
26.05.2	Approx. 300 X 370 X 510 mm size, minimum 11.0 kg of weight.	each	Tk. 4,286.00	Tk. 4,276.00	Tk. 4,240.00	Tk. 4,240.00
26.05.3	Approx. 315 X 330 X 600 mm size, minimum 17.0 kg of weight.	each	Tk. 7,157.00	Tk. 7,147.00	Tk. 7,111.00	Tk. 7,111.00
26.05.4	Approx. 300 X 350 X 690 mm size, minimum 18.0 kg of weight	each	Tk. 13,206.00	Tk. 13,197.00	Tk. 13,160.00	Tk. 13,160.00

Handwritten signatures and initials in blue and black ink are present below the table, including a large signature on the left and several smaller initials and marks scattered across the bottom half of the page.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalgonj)	Unit Rate (Rajshahi, Rangpur)
26.06	<p>Supplying, fitting and fixing of country made glazed vitreous china <b>flat or squatting urinal</b> approx. 510 mm x 380 mm x 85 mm in size, minimum 9.5 kg of weight.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position with flushing inlet fitted in cement mortar (1:4) with painted cast iron body: one gallon capacity, automatic flushing cistern in each group etc. including 12 mm brass controlling valve, 32 mm dia PVC flush pipe with brass coupling, 12 mm dia plastic lead (connection) pipe including mending good the damages with 1:4 cement mortar etc. all complete approved and accepted by the Engineer- in- charge.</p>	each	Tk. 3,310.00	Tk. 3,298.00	Tk. 3,252.00	Tk. 3,252.00

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.07	<p>Supplying, fitting and fixing of Bangladesh pattern, <b>long pan with foot-rest.</b></p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position preparing the base of pan with cement mortar (1:4) and with wire mesh or rods, if necessary in all floors including making holes wherever required and mending good the damages and fitting, fixing, finishing etc. complete with all necessary fittings and connections approved and accepted by the Engineer- in- charge.</p>					
26.07.1	Approx. 520 X 406.4 X 223.52 mm size, minimum 10.0 kg of weight	each	Tk. 2,037.00	Tk. 2,019.00	Tk. 1,960.00	Tk. 1,960.00
26.07.2	Approx. 530 X 400 X 230 mm size, minimum 11.0 kg of weight	each	Tk. 2,227.00	Tk. 2,209.00	Tk. 2,150.00	Tk. 2,150.00
26.07.3	Approx. 554 X 439. X 249 mm size, minimum 12.5 kg of weight	each	Tk. 2,687.00	Tk. 2,669.00	Tk. 2,610.00	Tk. 2,610.00
26.07.4	Approx. 540 X 460 X 290 mm size, minimum 13.5 kg of weight	each	Tk. 2,724.00	Tk. 2,706.00	Tk. 2,647.00	Tk. 2,647.00
26.07.5	Approx. 540 X 470 X 290 mm size, minimum 16 kg of weight	each	Tk. 2,847.00	Tk. 2,828.00	Tk. 2,770.00	Tk. 2,770.00

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalgonj)	Unit Rate (Rajshahi, Rangpur)
26.08	<p>Supplying, fitting and fixing of European type glazed <b>porcelain low-down</b>.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed on walls or directly over water closet by necessary accessories, rowel plugs, making holes wherever required and mending good the damages and fitting, fixing &amp; finishing etc. complete with all necessary fittings and connections approved and accepted by the Engineer- in- charge.</p>					
26.08.1	Approx. 365 X 185 X 325 mm size, minimum 10.00 kg of weight	each	Tk. 3,608.00	Tk. 3,596.00	Tk. 3,562.00	Tk. 3,562.00
26.08.2	Approx. 490 X 190 X 345 mm size, minimum 11.00 kg of weight	each	Tk. 4,017.00	Tk. 4,005.00	Tk. 3,971.00	Tk. 3,971.00
26.08.3	Approx. 490 X 190 X 350 mm size, minimum 14 kg of weight	each	Tk. 4,069.00	Tk. 4,056.00	Tk. 4,023.00	Tk. 4,023.00
26.09	Supplying, fitting and fixing of <b>plastic low-down</b> of any color, on walls or directly over water closet with necessary accessories, making holes wherever required and mending good the damages and fitting, fixing & finishing etc. complete with all necessary fittings and connections approved and accepted by the Engineer- in- charge.	each	Tk. 2,430.00	Tk. 2,417.00	Tk. 2,384.00	Tk. 2,384.00
26.10	Supplying, fitting and fixing of <b>flush valve for water closet</b> on walls or directly over water closet with necessary accessories, making holes wherever required and mending good the damages and fitting, fixing & finishing etc. all complete with all necessary fittings and connections approved and accepted by the Engineer- in- charge.					
26.10.1	Flush valve (local)	each	Tk. 14,638.00	Tk. 14,629.00	Tk. 14,602.00	Tk. 14,602.00
26.10.2	Flush Valve (foreign)	each	Tk. 24,485.00	Tk. 24,475.00	Tk. 24,448.00	Tk. 24,448.00
26.11	Supplying, fitting and fixing of <b>flush valve for urinal</b> on walls or directly over water closet with necessary accessories, rowel plugs, making holes wherever required and mending good the damages and fitting, fixing & finishing etc. all complete with all necessary fittings and connections approved and accepted by the Engineer- in- charge.	each	Tk. 5,835.00	Tk. 5,825.00	Tk. 5,798.00	Tk. 5,798.00

Handwritten signatures and initials in blue ink are present below the table, including names like 'Anwar', 'ARS', 'tu', 'A', 'm', 'd', and 'W'.



Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.12	Supplying, fitting and fixing of <b>country made</b> glazed vitreous <b>W/H wash basin excluding pedestal</b> .  The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark. The fixture should be placed in position with heavy type C.I. Brackets. 30 mm dia PVC waste water pipe with brass coupling (not exceeding 750 mm in length), basin waste with chain plug including making holes in walls and floors and fitting with wall, screws and mending good the damages, finishing etc. all complete approved and accepted by the Engineer-in-charge.					
26.12.1	Over Counter: Approx. 400X 200 mm, minimum weight 6.0 kg	each	Tk. 3,528.00	Tk. 3,509.00	Tk. 3,457.00	Tk. 3,457.00
26.12.2	Over Counter: Approx. 445X 345 mm, minimum weight 7.0 kg	each	Tk. 3,810.00	Tk. 3,792.00	Tk. 3,739.00	Tk. 3,739.00
26.12.3	Over Counter: Approx. 535X 435 mm, minimum weight 7.5 kg	each	Tk. 4,350.00	Tk. 4,331.00	Tk. 4,279.00	Tk. 4,279.00
26.12.4	Over Counter: Approx. 560 X 475 mm size, minimum weight 10.0 kg	each	Tk. 4,448.00	Tk. 4,430.00	Tk. 4,377.00	Tk. 4,377.00
26.12.5	Under Counter: Approx. 570 X 420 mm size, minimum weight 7.5 kg	each	Tk. 4,270.00	Tk. 4,252.00	Tk. 4,199.00	Tk. 4,199.00
26.12.6	Under Counter: Approx. 515 X 365 mm size, minimum weight 9.5 kg	each	Tk. 5,890.00	Tk. 5,871.00	Tk. 5,819.00	Tk. 5,819.00
26.12.7	Table Top: Approx. 400X 400 mm size, minimum weight 6.0 kg	each	Tk. 5,515.00	Tk. 5,497.00	Tk. 5,445.00	Tk. 5,445.00
26.12.8	Table Top: Approx. 450X 450 mm size :minimum weight 10.0 kg	each	Tk. 6,546.00	Tk. 6,528.00	Tk. 6,476.00	Tk. 6,476.00
26.12.9	Table Top: Approx. 480X 370 mm size, minimum weight 10.0 kg	each	Tk. 6,767.00	Tk. 6,749.00	Tk. 6,696.00	Tk. 6,696.00
26.12.10	Table Top: Approx. 485X 380 mm size, minimum weight 11.0 kg	each	Tk. 7,884.00	Tk. 7,865.00	Tk. 7,813.00	Tk. 7,813.00
26.12.11	Corner Basin: Approx. 540X 400 mm size, minimum weight 7.5 kg	each	Tk. 3,589.00	Tk. 3,571.00	Tk. 3,518.00	Tk. 3,518.00
26.12.12	Corner Basin: Approx. 460X 390 mm size, minimum weight 15.0 kg	each	Tk. 4,522.00	Tk. 4,503.00	Tk. 4,451.00	Tk. 4,451.00

Handwritten signatures and initials in blue ink are present below the table, including names like 'Sumit', 'Ravi', and others.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.13	<p>Supplying of country made glazed vitreous W/H <b>wash basin of any color including pedestal.</b></p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position with heavy type C.I. Brackets, 30 mm dia PVC waste water pipe with brass coupling (not exceeding 750 mm in length), basin waste with chain plug including making holes in walls and floors and fitting with wall, screws and mending good the damages, finishing etc. all complete approved and accepted by the Engineer-in-charge.</p>					
26.13.1	Approx. 436 x 343 mm, minimum weight 14.8 kg	each	Tk. 3,833.00	Tk. 3,823.00	Tk. 3,787.00	Tk. 3,787.00
26.13.2	Approx. 457 x 406 mm, minimum weight 15.3 kg	each	Tk. 4,080.00	Tk. 4,070.00	Tk. 4,034.00	Tk. 4,034.00
26.13.3	Approx. 521 x 419 mm, minimum weight 17.7 kg	each	Tk. 4,196.00	Tk. 4,187.00	Tk. 4,150.00	Tk. 4,150.00
26.13.4	Approx. 508 x 394 mm, minimum weight 17.3 kg	each	Tk. 4,221.00	Tk. 4,211.00	Tk. 4,175.00	Tk. 4,175.00
26.13.5	Approx. 540 x 450 mm, minimum weight 20.1 kg	each	Tk. 4,270.00	Tk. 4,260.00	Tk. 4,224.00	Tk. 4,224.00
26.13.6	Approx. 495 x 394 mm, minimum weight 17.3 kg	each	Tk. 4,405.00	Tk. 4,395.00	Tk. 4,359.00	Tk. 4,359.00
26.13.7	Approx. 513 x 432 mm, minimum weight 17.8 kg	each	Tk. 4,528.00	Tk. 4,518.00	Tk. 4,482.00	Tk. 4,482.00
26.13.8	Approx. 564 x 419 mm, minimum weight 18.8 kg	each	Tk. 4,650.00	Tk. 4,641.00	Tk. 4,604.00	Tk. 4,604.00
26.13.9	Approx. 584 x 437 mm, minimum weight 20 kg	each	Tk. 4,834.00	Tk. 4,825.00	Tk. 4,788.00	Tk. 4,788.00
26.13.10	Approx. 560 x 450 mm, minimum weight 22.8 kg	each	Tk. 4,902.00	Tk. 4,892.00	Tk. 4,856.00	Tk. 4,856.00
26.13.11	Approx. 572 x 437 mm, minimum weight 20.3 kg	each	Tk. 5,012.00	Tk. 5,003.00	Tk. 4,966.00	Tk. 4,966.00
26.13.12	Approx. 648 x 488 mm, minimum weight 20 kg	each	Tk. 5,295.00	Tk. 5,285.00	Tk. 5,249.00	Tk. 5,249.00
26.13.13	Approx. 605 x 485 mm, minimum weight 22.5 kg	each	Tk. 5,374.00	Tk. 5,365.00	Tk. 5,328.00	Tk. 5,328.00
26.13.14	Approx. 630 x 520 mm, minimum weight 28 kg	each	Tk. 5,632.00	Tk. 5,622.00	Tk. 5,586.00	Tk. 5,586.00
26.13.15	Approx. 559 x 483 mm, minimum weight 24.5 kg	each	Tk. 5,877.00	Tk. 5,868.00	Tk. 5,831.00	Tk. 5,831.00
26.13.16	Approx. 656 x 510 mm, minimum weight 26 kg	each	Tk. 7,055.00	Tk. 7,046.00	Tk. 7,009.00	Tk. 7,009.00
26.13.17	Approx. 500 x 450 mm, minimum weight 25.6 kg	each	Tk. 7,154.00	Tk. 7,144.00	Tk. 7,108.00	Tk. 7,108.00
26.13.18	Approx. 520 x 425 mm, minimum weight 26.2 kg	each	Tk. 7,497.00	Tk. 7,487.00	Tk. 7,451.00	Tk. 7,451.00
26.13.19	Approx. 665 x 490 mm, minimum weight 29.5 kg	each	Tk. 7,626.00	Tk. 7,616.00	Tk. 7,580.00	Tk. 7,580.00
26.13.20	Approx. 660 x 525 mm, minimum weight 31.5 kg	each	Tk. 7,822.00	Tk. 7,812.00	Tk. 7,776.00	Tk. 7,776.00

Handwritten notes and signatures in blue ink are present at the bottom of the page, including a large signature on the left and several initials and marks across the bottom.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.13.21	Approx. 600 x 440 mm, minimum weight 26 kg	each	Tk. 7,902.00	Tk. 7,892.00	Tk. 7,856.00	Tk. 7,856.00
26.13.22	Approx. 525 x 415 mm, minimum weight 27.4 kg	each	Tk. 8,442.00	Tk. 8,432.00	Tk. 8,396.00	Tk. 8,396.00
26.13.23	Approx. 650 x 510 mm, minimum weight 25 kg	each	Tk. 8,516.00	Tk. 8,506.00	Tk. 8,470.00	Tk. 8,470.00
26.13.24	Approx. 550 x 470 mm, minimum weight 34 kg	each	Tk. 10,356.00	Tk. 10,346.00	Tk. 10,310.00	Tk. 10,310.00
26.14	<p>Supplying of country made glazed vitreous W/H wash basin of any color including semi-pedestal/ half pedestal.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position with heavy type C.I. Brackets. 30 mm dia PVC waste water pipe with brass coupling (not exceeding 750 mm in length), basin waste with chain plug including making holes in walls and floors and fitting with wall, screws and mending good the damages, finishing etc. all complete approved and accepted by the Engineer-in-charge.</p>					
26.14.1	Approx. 510X 400 mm size, minimum weight 15 kg	each	Tk. 4,172.00	Tk. 4,162.00	Tk. 4,126.00	Tk. 4,126.00
26.14.2	Approx. 550X 440 mm size, minimum weight 17 kg	each	Tk. 6,405.00	Tk. 6,395.00	Tk. 6,359.00	Tk. 6,359.00
26.14.3	Approx. 600X 500 mm size, minimum weight 18.5 kg	each	Tk. 7,227.00	Tk. 7,217.00	Tk. 7,181.00	Tk. 7,181.00
26.14.4	Approx. 550 X 460 mm size, minimum weigh 20.0 kg	each	Tk. 7,399.00	Tk. 7,389.00	Tk. 7,353.00	Tk. 7,353.00
26.15	Supplying, fitting and fixing basin pedestal of Approx. size of 670 mm x 186 mm x 170 mm, any color with rowel plug and screws etc. all complete approved and accepted by the Engineer- in- charge.	each	Tk. 2,496.00	Tk. 2,490.00	Tk. 2,474.00	Tk. 2,474.00

Handwritten signatures and initials in blue ink are present below the table, including a large signature on the left and several initials and smaller signatures on the right.

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.16	<p>Supplying, fitting and fixing of <b>country made porcelain sink</b> of any color, approx. 635 mm x 480 mm x195 mm size, 19.5 kg of weight.</p> <p>The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/or registered trademark, b) the number of Bangladesh standard and c) country of origin. Each product shall also be marked with the BSTI Certification Mark.</p> <p>The fixture should be placed in position fitted and fixed with heavy type C.I. brackets, 12 mm dia C.P. bib cock, 40 mm dia C.P. chain plug, 40 mm dia. C.P. waste, 32 mm dia PVC waste pipe with brass coupling (750 mm length) including making holes in walls and floors and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer- in- charge.</p>	each	Tk. 3,850.00	Tk. 3,842.00	Tk. 3,819.00	Tk. 3,819.00
26.17	Supplying, fitting and fixing of best quality <b>single bowl stainless steel sink</b> with heavy type CI steel brackets, 40 mm dia C.P. chain plug, 40 mm dia C.P. waste, 40 mm dia PVC waste pipe with brass coupling (750 mm length) including making hole in walls and floors and mending good the damages, finishing with 1:4 cement mortar etc. all complete approved and accepted by the Engineer-in-charge.					
26.17.1	Approx. 508 X 406 mm size single bowl without sink tray	each	Tk. 3,587.00	Tk. 3,579.00	Tk. 3,556.00	Tk. 3,556.00
26.17.2	Approx. 508 X 457 mm size single bowl without sink tray	each	Tk. 3,697.00	Tk. 3,690.00	Tk. 3,666.00	Tk. 3,666.00
26.17.3	Approx. 610 X 457 mm size single bowl without sink tray	each	Tk. 4,089.00	Tk. 4,082.00	Tk. 4,058.00	Tk. 4,058.00
26.17.4	Approx. 762 X 457 mm size single bowl with sink tray	each	Tk. 5,298.00	Tk. 5,290.00	Tk. 5,267.00	Tk. 5,267.00
26.17.5	Approx. 914 X 457 mm size single bowl with sink tray	each	Tk. 5,420.00	Tk. 5,413.00	Tk. 5,390.00	Tk. 5,390.00
26.17.6	Approx. 1016 X 508 mm size single bowl with sink tray	each	Tk. 6,392.00	Tk. 6,384.00	Tk. 6,361.00	Tk. 6,361.00
26.18	Supplying, fitting and fixing of best quality <b>double bowl stainless steel sink</b> with heavy type CI or steel brackets, 12 mm dia C.P. chain plug, 40 mm dia C.P. waste, 40 mm dia PVC waste pipe with brass coupling (750 mm length) including making hole in walls and floors and mending good the damages, finishing etc. all complete approved and accepted by the Engineer-in-charge.	each				
26.18.1	Approx. 1160 x 500 mm size double bowl with sink tray (Standard)	each	Tk. 8,486.00	Tk. 8,477.00	Tk. 8,446.00	Tk. 8,446.00
26.18.2	Approx. 1160 x 500 mm size double bowl with sink tray (Super)	each	Tk. 12,167.00	Tk. 12,158.00	Tk. 12,127.00	Tk. 12,127.00
26.18.3	Approx. 1160 x 500 mm size double bowl with sink tray (Special)	each	Tk. 17,689.00	Tk. 17,679.00	Tk. 17,649.00	Tk. 17,649.00

Item No.	Description of Item	Unit	Unit Rate (Dhaka, Mymensingh)	Unit Rate (Chattogram, Sylhet)	Unit Rate (Khulna, Barisal, Gopalganj)	Unit Rate (Rajshahi, Rangpur)
26.19	Supplying, fitting and fixing of 5 mm thick unframed super quality <b>double coated mirror</b> with all necessary fitting including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge.					
26.19.1	Local Mirror, 5 mm thickness	sqm	Tk. 2,590.00	Tk. 2,572.00	Tk. 2,510.00	Tk. 2,510.00
26.19.2	Belgium Mirror, 5 mm thickness	sqm	Tk. 1,724.00	Tk. 1,719.00	Tk. 1,703.00	Tk. 1,703.00
26.20	Supplying, fitting and fixing of super quality 600 mm x 125 mm <b>coloured glass (plate) shelf</b> having 5 mm thickness with fancy C.P. brackets, screws and frames including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge.	each	Tk. 1,830.00	Tk. 1,825.00	Tk. 1,808.00	Tk. 1,808.00
26.21	Supplying, fitting and fixing of super quality 600 x 125 mm <b>white glass (plate) shelf</b> having 5 mm thickness with fancy C.P. brackets, screws and frames including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge.	each	Tk. 1,032.00	Tk. 1,027.00	Tk. 1,010.00	Tk. 1,010.00
26.22	Supplying, fitting and fixing of country made best quality <b>towel rail/ring/shelf</b> minimum 20 mm in dia with C.P. holder including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge.					
26.22.1	C.P. towel ring/ 450 mm long single towel rail	each	Tk. 718.00	Tk. 717.00	Tk. 714.00	Tk. 714.00
26.22.2	600 mm long C.P. single towel rail	each	Tk. 718.00	Tk. 717.00	Tk. 714.00	Tk. 714.00
26.22.3	600 mm long C.P. double towel rail	each	Tk. 1,264.00	Tk. 1,263.00	Tk. 1,260.00	Tk. 1,260.00
26.22.4	600 mm long C.P. towel shelf	each	Tk. 1,646.00	Tk. 1,645.00	Tk. 1,641.00	Tk. 1,641.00
26.23	Supplying, fitting and fixing of best quality <b>toilet paper holder</b> of standard size including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge.					
26.23.1	PVC toilet paper holder	each	Tk. 293.00	Tk. 292.00	Tk. 288.00	Tk. 288.00
26.23.2	C.P iron bracket toilet paper holder	each	Tk. 372.00	Tk. 372.00	Tk. 368.00	Tk. 368.00
26.23.3	Porcelain toilet paper holder (any color)	each	Tk. 808.00	Tk. 807.00	Tk. 804.00	Tk. 804.00
26.23.4	Stainless steel toilet paper holder	each	Tk. 563.00	Tk. 562.00	Tk. 558.00	Tk. 558.00
26.24	Supplying, fitting and fixing of standard size <b>country made soap tray</b> including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge.					
26.24.1	PVC soap tray	each	Tk. 150.00	Tk. 149.00	Tk. 145.00	Tk. 145.00
26.24.2	C.P. soap tray	each	Tk. 236.00	Tk. 235.00	Tk. 231.00	Tk. 231.00
26.24.3	Porcelain soap tray (any color)	each	Tk. 420.00	Tk. 419.00	Tk. 415.00	Tk. 415.00
26.24.4	Stainless steel soap tray	each	Tk. 628.00	Tk. 627.00	Tk. 624.00	Tk. 624.00

Handwritten signatures and initials in blue ink are present at the bottom of the page, including names like 'f m', 'A.', 'x', 'ARS.', 'Rahman', and others.